




Lustrolite[®]

Writable Surfaces



**Lustrolite Writable Surfaces are
ultra high gloss surfaces...**



**suitable for use as writing
display boards...**



in conjunction with Dry Erase Markers.





Works well with a wide range of Marker Pens

Share Ideas



Get Creative

Communicate



VALUES

- Strengthen our team
- Maintain integrity in everything we do
- courage to push boundaries
- Invest in our future
- Build a better tomorrow
 - People
 - Products

How will we get there?

- MOTIVATION
 - Team building exercises*
- INNOVATION
- ACCOMMODATE BUYERS
- INSPIRATION

with complete freedom



Lustrolite Writable surfaces are suitable for large or small scale collaboration zones...





around the home...

office...



LOW 8
225mph - 2018
1000 - 020
N-2 (N-8)
half track

ENGINEERING

DATE	TIME	LOCATION	STATUS
10/10	10:00	10:00	10:00
10/11	10:00	10:00	10:00
10/12	10:00	10:00	10:00
10/13	10:00	10:00	10:00

THIS WEEK

MONDAY

- ★ Tech Inspection
- Drivers Meeting

TUESDAY

- PM Practice

WEDNESDAY

- ★ Final Tech Insp


TRACK LAYOUT



education...


แนวเส้นตรงของอนุภาค

$\vec{s}$
 $\rightarrow \vec{V}_{av}$
 $\rightarrow \vec{V}_{av}$



= ระยะทาง
เวลา

= การกระจัด
เวลา



slope ของกราฟ v กับ t = a

$$a = \frac{v-u}{t}$$

$$at = v-u$$

$$v = u + at \quad (1)$$

v กับ t = s

$$]t = s$$

$$s = \frac{[u+v]}{2} t \quad (2)$$

$$at] t$$

$$s = \left[\frac{2u+at}{2} \right] t$$

$$s = ut + \frac{1}{2} at^2 \quad (3)$$

จาก ① $v = u + at$

$$t = \frac{v-u}{a} \text{ แทนที่ } (2)$$


$$s = \left[\frac{u+v}{2} \right] \left[\frac{v-u}{a} \right]$$

$$s = \frac{v^2 - u^2}{2a}$$

$$2as = v^2 - u^2$$

$$v^2 = u^2 + 2as \quad (4)$$

การเคลื่อนที่แบบป




พิจารณาแกน x

$$V_x = \frac{S_x}{t}; V_x = U_x$$

$$S_x = U_x t$$

$$S_x = (U \cos \theta) t$$



$$U_y =$$

retail...



or hospitality applications.




**Easy to clean ,
non ghosting
surface**





Bright and
subtle color
options

h 120cm



Ultra hygienic zero
emissions polymer surface



High impact resistance,
20 times that of toughened glass

Rapid installation
over existing wall
finishes



COLOR RANGE

CLEAR

BLUE ATOLL

CARBON

ARCTIC

SAFARI

TITAN

IVORY

MOCHA

GLACIER

ROUGE

COLOR RANGE

LUCENT

ICE

COAL

SNOW

DUNE

IRON

Easy Cleaning

Lustrolite surfaces are easy to clean and maintain using marker board erasers or microfiber cloths.

Regular maintenance using warm soapy water and a microfiber cloth will keep the surface like new for many years.

High Scratch Resistance

A high performance hard coat on the outer surface provides high scratch and chemical resistance, and affords effortless cleaning. Lustrolite will not scratch, crack, warp, stain or discolor from normal use.

High Chemical Resistance

The following chemicals have shown no effect on the panel surface:
Marker Board Cleaners, Windex® Glass Cleaner, Citric Acid,
Mineral Spirits, Isopropyl Alcohol.



 **Lustrolite[®]**
Writable Surfaces

EGR
DECOR



Lustrolite Writable Surfaces